

INSULATION CERTIFICATION

ADDRESS _____

BUILDING PERMIT NO. _____

2018 IECC Path: Prescriptive | U Factor Alt. | Performance | ERI | Designed Sys.

| Installed | Value | Location | Type of Material |
|-----------|-------|------------------------------|------------------|
| R - | | Ceiling | |
| R - | | Exterior Wall | |
| R - | | Exterior Basement Walls | |
| R - | | Floors | |
| R - | | Crawl Space | |
| R - | | Mass Wall | |
| U - | | Fenestration (Average Value) | |

Check Box if compliant with ResCheck

Check Box if compliant with ComCheck

IF ERI is used, provide full rating document with this sheet.

STATEMENT OF COMPLIANCE

This is to certify that insulation of the unit identified above has been installed in conformance with the requirements of the 2018 International Energy Conservation Code. This must be signed by one of the listed parties below.

 DATE COMPANY NAME (Builder) BUILDER SIGNATURE

 DATE COMPANY NAME (Applicator) APPLICATOR'S SIGNATURE

Residential Prescriptive Insulation Values

| Location | Required Value |
|-------------------------|------------------|
| Ceiling | R – 49 |
| Exterior Wall | R – 20/13+5 c.i. |
| Exterior Basement Walls | R – 15 c.i./19 |
| Floors | R – 30 |
| Crawl Space | R – 15 c.i./19 |
| Mass Wall | R – 13 c.i./17 |
| Fenestration | U – 0.30 |

*c.i. refers to continuous insulation. All other listed values are insulation installed in cavities.